



Customer Care

Orders • Queries • Complaints • Feedback

Castrol Customer Care:

1800-222-100 (MTNL) | 1800-209-8100 (TATA)
1800-223-733 (TATA) | 1800-209-9800 (MTNL)

Castrol Customer email id:

customer care.india@castrol.com
technicalservices.india@castrol.com

For Orders : Directorders.india@castrol.com

Website : www.castrol.co.in

Castrol India Limited

Technopolish Knowledge Park,
Mahakali Caves Road, Chakala,
Andheri (East), Mumbai-400 093.

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation





Castrol HD Lubricant Recommendation



EXCAVATORS

Make	Model	Engine Oil	Hydraulic Oil	Gear Oil (Swing & PTO)	Final Drive Oil	Coolant	Grease
L&T Komatsu	Pc200, PC300 & PC450 Series	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Offroad 30	Transmax Offroad 30	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Komatsu	Pc1250 / PC2000 Series	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Offroad 30	Transmax Offroad 30	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
TATA HITACHI	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Axle T 80W-90 Transmax Limited Slip 80W-90	Transmax Axle T 80W-90 Transmax Limited Slip 80W-90	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
JCB	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Manual Plus 80W-90 Transmax Manual 90	Axle GL5 85W-140 Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Volvo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90 Transmax Manual 90	Axle GL5 85W-140 Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
XCMG	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90 Transmax Manual 90	Axle GL5 85W-140 Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Caterpillar	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Manual Plus 80W-90 Transmax Manual 90	Axle GL5 85W-140 Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Kobelco	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90 Transmax Manual 90	Axle GL5 85W-140 Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
BEML	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 30	Transmax Offroad 30	Axle GL5 85W-140 Transmax Axle Plus 85W-140 Transmax Offroad 30	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Sany	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90 Transmax Manual 90	Axle GL5 85W-140 Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



BACKHOE LOADER

Make	Model	Engine Oil	Hydraulic Oil	Transmission Oil	Axle/Differential Oil	Coolant	Grease
L&T Case	580-3	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Agri Trans 80W	Transmax Agri Trans 80W	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
	851	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Agri Trans 80W	Transmax Agri Trans 80W	Transmax Agri Trans 80W	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
BEML	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Manual Plus 85W-140	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Komatsu	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Manual Plus 85W-140	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Terex	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax ATF Dex/Merc	Axle T 80W-90 (GL5) Transmax Limited Slip 80W-90 (GL5)	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
JCB	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Offroad 30 Transmax Agri Trans 80W	Transmax Agri Trans 80W (For 50HP & below engines) & Transmax Axle Limited Slip 80W-90 (For 70HP & above engines)	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
TATA HITACHI	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC Excavator Fluid TH 46	Transmax Agri Trans 80W	Transmax Manual Plus 85W-140	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Caterpillar	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton Long Drain 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Offroad 50	Radical SF-O Premix Radical Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



WHEEL LOADER

Make	Model	Engine Oil	Hydraulic Oil	Transmission Oil	Axle Oil	Coolant	Grease
JCB	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Agri Trans 80W Transmax Manual Plus 80W-90	Transmax Agri Trans 80W Transmax Manual Plus 80W-90	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease
Komatsu	All Mining Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Off Road 50 (As per model) Transmax Offroad 30	Transmax Offroad 30	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease
Caterpillar	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Offroad 50	Transmax Off Road 50	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease
Volvo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	-	Transmax Agri Trans M 80W (Nearest Equivalent)	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease
XCMG	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Offroad 10W	Transmax Agri Trans M 80W	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease
TATA HITACHI	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Offroad 10W	Transmax Manual Plus 80W-90	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease
Liugong	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	RX Super turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+ Vecton 15W-40 CI4+	Transmax Limited Slip 80W-90 (GL5)	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease
BEML	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Axle GL5 85W-140 Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherool EPL 2 LCG 2 Mine Grease

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



DUMPER (MINING DUMP TRUCKS)

Make	Model	Engine Oil	Hydraulic Oil	Transmission Oil	Differential & Final Drive Oil	Coolant	Grease
BEML	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Manual Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Komatsu	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC Transmax Offroad 10W	Transmax Offroad 30	Transmax Offroad 50	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Caterpillar	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC Transmax Offroad 10W	Transmax Offroad 30	-	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Hitachi	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Offroad 30	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Sany	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC	Transynd	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease
Terex	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 SC	Transmax Offroad 30	Regret (Nearest alternative -Transmax LS 80W-90)	Radicool SF-O Premix Radicool Heavy Duty	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



TIPPER

Make	Model	Engine Oil	Hydraulic Oil	Gear Oil	Axle Oil	Coolant	Grease	Steering Oil
TATA	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90 Manual Extended Drain GL4 80W-90 Syntrans 75W-85 (Synthetic for particular models)	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K LCG 2 Premium Longlife	Transmax ATF Dex/Merc
Ashok Leyland	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K LCG 2 Premium Longlife	Transmax ATF Dex/Merc
Volvo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	-	-	Radicool SF-O Premix Radicool Heavy Duty	Spheerol EP 2 Spheerol EPL 2 LCG 2	Transmax ATF Dex/Merc
Scania	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Axle Plus 85W-140	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Spheerol EP 2 Spheerol EPL 2 LCG 2	Transmax ATF Dex/Merc
Eicher	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Axle Plus 85W-140	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	Transmax ATF Dex/Merc
Bharat Benz	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	-	-	Radicool SF-O Premix Radicool Heavy Duty	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	Transmax ATF Dex/Merc
MAN	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	Transmax ATF Dex/Merc
Mahindra	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Radicool SF-O Premix Radicool Heavy Duty	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	Transmax ATF Dex/Merc

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



DOZER

Make	Model	Engine Oil	Hydraulic Oil	Transmission Oil	Differential	Final Drive	Grease	Coolant
Caterpillar	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+ Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Offroad 30	Transmax Offroad 50	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
BEML	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+ Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Offroad 30	Transmax Axle Plus 85W-140	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
L&T Komatsu	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+ Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Offroad 30	Transmax Axle Plus 85W-140	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Komatsu	275 E/375E/ 475E	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+ Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC/ Hyspin AWS 46 SC	Transmax Offroad 30	Transmax Offroad 30	Transmax Offroad 30	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Liugong	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+ Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	CRB Turbomax 15W-40 CH4			Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



GRADER

Make	Model	Engine Oil	Hydraulic Oil	Transmission Oil	Tandem Drive Oil	Grease	Coolant	Axle, Differential & Circle Drive
Caterpillar	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 30	Transmax Offroad 50	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty	Transmax Offroad 50
Volvo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 68 SC	Transmax ATF Dex/Merc	Transmax Agri Trans 80W	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty	Transmax Agri Trans 80W
Komatsu	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Offroad 10W	Transmax Offroad 30	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty	Transmax Offroad 30
XCMG	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 68 SC	Transmax Offroad 30	Transmax Agri Trans 80W	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty	Transmax Limited Slip 80W-90 GL5 Transmax Axle T 80W-90 GL5
CASE	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	CRB Turbomax 15W-40 CI4+	CRB Turbomax 15W-40 CI4+	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty	Transmax Axle Plus 85W-140
Sany/ Others	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	CRB Turbomax 15W-40 CH4	Transmax Axle Plus 85W-140	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty	Transmax Axle Plus 85W-140

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



COMPACTER

Make	Model	Engine Oil	Hydraulic Oil	Gear Oil/Axle Oil	Drum Oil	Grease	Coolant
Escorts	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hypsin AWS 100 SC	Transmax Manual 90 / Transmax Manual Plus 80W-90	-	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Volvo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hypsin AWS 68 SC Hypsin AWH 68 SC	Transmax Manual 90 / Transmax Manual Plus 80W-90	Syntrans 75W-85	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Dynapac	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hypsin AWS 68 SC	Transmax LS 80W-90	Optigear Synthetic X150 Alphasyn EP150	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
IR	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Offroad 10W	Transmax Manual 90 / Transmax Manual Plus 80W-90	Syntrans 75W-85	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
HAMM	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hypsin AWS 68 SC	Syntrans 75W-85	Transmax Manual T 75W-90	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Case	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hypsin AWS 68 SC	Syntrans 75W-85	Syntrans 75W-85	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



PAVERS

Make	Model	Engine Oil	Hydraulic Oil	Gear Oil	Grease	Coolant
Betelli	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC	Transmax Manual Plus 80W-90	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Titan	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	CRB Multi 15W-40 API CF4	Transmax Manual Plus 80W-90	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Volvo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Axle T 80W-90	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Dynapac	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC	Transmax Manual Plus 80W-90 (Transmission) / Alpha SP 220 (Track/Auger Planetary Gear) Optigear Synthetic 800/460 (Auger Gearbox)	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Apollo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 100 SC	Transmax Manual Plus 80W-90	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Vogele	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC	Transmax Axle T 80W-90	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Wirtgen	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Ofroad 10W Hyspin AWH 46 SC	Syntrans 75W-85 (Transmission)	Tribol GR 4020/220-2	Radicool SF-O Premix Radicool Heavy Duty

COMPRESSOR

Make	Model	Compressor Oil
Atlas Copco	All Models	Aircol CM 46 / Aircol CM 68
Elgi	All Models	Aircol CM 68
IR	All Models	Aircol CM 68 / Aircol CM 100

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



CRANES

Make	Model	Engine Oil	Hydraulic Oil	Gear Oil	Axle/Differential	Grease	Coolant
Escorts (ECEL)	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Sany	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 46 (SC) Hyspin AWH 46 SC	Transmax Offroad 30	Transmax Manual 90	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
XCMG	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
ACE	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



ON-HIGHWAY TRUCKS/BUS

Make	Model	Engine Oil	Gear Oil	Axle Oil	Grease	Steering Oil	Coolant
TATA	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	ATF Dex / Merc	Radicool SF-O Premix Radicool Heavy Duty
Ashok Leyland	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	ATF Dex / Merc	Radicool SF-O Premix Radicool Heavy Duty
Bharat Benz	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	ATF Dex / Merc	Radicool SF-O Premix Radicool Heavy Duty
Eicher	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	ATF Dex / Merc	Radicool SF-O Premix Radicool Heavy Duty
Volvo	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Transmax Manual Plus 80W-90	Transmax Axle Plus 85W-140	Spheerol CV 30K Spheerol CV 40K Spheerol CV 80K Premium Longlife	ATF Dex / Merc	Radicool SF-O Premix Radicool Heavy Duty

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



CRUSHERS

Make	Model	Engine Oil (For mobile crushers)	Hydraulic Oil	Gear Oil	Grease (General purpose)	Grease (Main bearing+ spider bearing)	Coolant (For mobile crusher)
Metso	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 46 SC	Alpha SP 220	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Tribol GR 100 - 2 PD (VSI) Tribol GR 100 - 0 PD (Cone) Molub Alloy 777-2 ES	Radicool SF-O Premix Radicool Heavy Duty
Sandvik	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 68 SC	Alpha SP 220	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Tribol 3020/1000-00 PD	Radicool SF-O Premix Radicool Heavy Duty
L&T	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 68 SC	Alpha SP 220	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Mine Grease Molub Alloy 777-2 ES	Radicool SF-O Premix Radicool Heavy Duty
Terex	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 68 SC	Alpha SP 220	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Tribol GR 100 - 0 PD Molub Alloy 777-2 ES	Radicool SF-O Premix Radicool Heavy Duty
Propel	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 68 SC	Alpha SP 220	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Tribol GR 100 - 2 PD (VSI) Mine Grease (Cone) Molub Alloy 860/460-2 (Cone)	Radicool SF-O Premix Radicool Heavy Duty
Puzzolana	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ Vecton Long Drain 15W-40 CK4	Hyspin AWH 68 SC	Transmax Manual Plus 80W-90	Ball Bearing EP2 Spheerol EPL 2 LCG 2 Mine Grease	Tribol GR 100 - 2 PD (Cone & VSI)	Radicool SF-O Premix Radicool Heavy Duty

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



TRANSIT MIXER

Make	Model	Engine Oil	Hydraulic Oil	Grease
Schwing/ XCMG	All Models	RX Super Turbo 15W-40 CI4+/CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+/Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Spheerol CV 30K/Spheerol CV 40K Spheerol CV 80K/Premium Longlife
Greaves	All Models	RX Super Turbo 15W-40 CI4+/CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+/Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Spheerol CV 30K/Spheerol CV 40K Spheerol CV 80K/Premium Longlife

BATCHING PLANT

Make	Model	Grease	Gear Oil
Schwing	All Models	Tribol GR 100-0 PD & BB EPL2	Alpha SP 220 / Optigear Synthetic X 220 Optigear Synthetic PD 220 ES

HOT MIX PLANT

Make	Model	Grease	Thermic Fluid
Apollo Equipment	All Models	Tribol GR HT 2	Perfecto™ HT 5 D
Lintec	All Models	Tribol GR HT 2 / Molub Alloy OG 936 SF HY BB EPL2	Perfecto™ HT 5 D
Astec	All Models	Tribol GR HT 2 / Molube Alloy OG 936 SF HY BB EPL2	Perfecto™ HT 5 D

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



GENERATORS

Make	Model	Engine Oil	Coolant
Kirloskar Cummins	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ / Vecton Long Drain 15W-40 CK4	Radicool SF-O Premix Radicool Heavy Duty
Cummins	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ / Vecton Long Drain 15W-40 CK4	Radicool SF-O Premix Radicool Heavy Duty
Greaves	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ / Vecton Long Drain 15W-40 CK4	Radicool SF-O Premix Radicool Heavy Duty
Caterpillar	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ / Vecton Long Drain 15W-40 CK4	Radicool SF-O Premix Radicool Heavy Duty

DRILLING MACHINES

Make	Model	Engine Oil	Gear Oil	Grease	Coolant
Atlas Copco	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ / Vecton Long Drain 15W-40 CK4	Alpha SP 220 Alpha SP 320	Ball Bearing EP2 Spheerol EPL 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
IR	All Models	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ / Vecton Long Drain 15W-40 CK4	Alpha SP 220 Alpha SP 320	Ball Bearing EP2 Spheerol EPL 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.



Castrol HD Lubricant Recommendation



FORK LIFTS

Make	Engine Oil	Hydraulic Oil	Gear Oil	Grease	Coolant
TIL	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ /Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus GL-4 80W-90	Ball Bearing EP2 Spherol EPL 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Godrej	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ /Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus GL-4 80W-90	Ball Bearing EP2 Spherol EPL 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
Voltas	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ /Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus GL-4 80W-90	Ball Bearing EP2 Spherol EPL 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty

REACHSTACKER

Make	Engine Oil	Hydraulic Oil	Gear Oil	Grease	Coolant
TIL	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ /Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus GL-4 80W-90	Ball Bearing EP2 Spherol EPL 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty
All	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ /Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Transmax Manual 90 Transmax Manual Plus GL-4 80W-90 Alpha SP 220 Alpha SP 320	Ball Bearing EP2 Spherol EPL 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty

SURFACE MINER

Make	Engine Oil	Hydraulic Oil	Gear Oil	Grease	Coolant
Wirtgen	RX Super Turbo 15W-40 CI4+ CRB Turbomax 15W-40 CH4/CI4+/CK4 Vecton 15W-40 CI4+ /Vecton Long Drain 15W-40 CK4	Hyspin AWS 68 (SC) Hyspin AWH 68 SC	Optigear Synthetic X 220 Optigear Synthetic PD 220 ES Optigear Synthetic X 460 Optigear Synthetic PD 460 ES Optigear Synthetic 800/220	Ball Bearing EP2 Spherol EPL 2 LCG 2 Mine Grease	Radicool SF-O Premix Radicool Heavy Duty

Disclaimer: This is only a recommendation by Castrol India Limited for use of lubricants in the equipments/vehicles based on the technical specifications of equipment/ vehicle manufacturers. Please refer to the equipment/vehicle manufacturer's service manual or a technical consultant for exact specification.